




# CESCO BRASS

*"The Power Behind The Throne"*

A DIVISION OF: BARRY E.  WALTER SR. CO.



**BURLINGTON**

**Scovill**



**PROFESSIONAL  
QUALITY  
TOILET FILL VALVES,  
REPLACEMENT PARTS,  
ACCESSORIES & TRIM**

Recognized as *"The Power Behind The Throne"*, **CESCO** continues to improve its standard products and to extend its range of standard and specialty items. CESCO's "new generation" toilet fill valves (ballcocks) are re-engineered based on proven, new design concepts and materials that:

- Protect supply pipes from damage,
- Reduce and simplify maintenance requirements,
- Improve reliability and extend life service,
- Deliver real performance benefits under the most demanding conditions, and
- Exceed code requirements to safeguard drinking water from contaminants.



# CESCO BRASS

"The Power Behind The Throne"

A DIVISION OF: BARRY E.  ALTER SR. CO.

## CESCO's "NEW GENERATION" TOILET FILL VALVES (BALLCOCKS)

The Burlington 20A and Scovill 16A are the flagships of CESCO's "new generation" brass toilet fill valves. Distinctive features and cost/performance benefits offer a perfect match to satisfy all known normal and special conditions, personal preference, and functional requirements.

### THE VALUE LEADER

Ideal combination of traditional and hi-tech engineered materials. Most logical valve sealing method; extends life and yields faster, more positive operation from 5 to 125 pounds pressure.

### SIMPLY THE BEST

Simplicity by design; few moving parts and unmatched reliability.

### STRONG & QUIET

Durable, fully enclosed brass valve body. Superior noise suppression. Inherent strength of materials and assembly methods to assure integrity under all operating conditions. Tough, stay-tight, resilient refill, hush tube & "Duckbill" check valve absorb impact, shock, and vibrations.

### SAFEGUARDS

Conforms to requirements of all plumbing codes to prevent drinking water contamination from back siphoning. Soft closure prevents abrupt shut-offs that cause water hammer and shock; eliminates damage to supply pipes and annoying noises. Works as pressure regulator to protect pipes from thermal expansion and other forces.

### NO CALLBACKS

Easy to install and a snap to maintain without special tools or removal from tank. Integral flow regulator/silencer allows precise adjustment of flow rate and controls noise. Individually water tested to verify integrity and functional performance. Models to fit all standard tanks; compact design and high "critical level."

### LIFETIME WARRANTY

... to be free from defects in material and workmanship for as long as it remains in service and is properly installed and maintained by the original owner.

### DEPENDABLE

Non-sticking, engineered plastic plunger assembly with premium grade U-Cup and durable sealing ball assure positive seal and extend life; ultimate freedom from sticking. Strong, no-fail compound lever assembly works with fool-proof brass rod and buoyant float. Smooth, full flow supply riser with permanently locked threaded joints. No clog water flow path to tank and overflow minimizes noise and blockage by foreign particles. Long-life, replaceable nylon valve seat.



# CESCO BRASS

"The Power Behind The Throne"

A DIVISION OF: BARRY E. WALTER SR. CO.

## BURLINGTON MODEL 20A ANTI

## - SIPHON BRASS

## BALLCOCKS

Standard Models 20A & 20A ADJ and Special Order Models 20A XS, MT & XT

The **BURLINGTON Model 20A** is CESCO's most popular ballcock. It's tough, precision sealing ball and engineered plastic plunger combine to give trouble-free performance with no risk of warping, sealing chatter, or clogging of the water flow path. Adjustable height model (ADJ) now available for universal fit.



Model 20A



Model 20A ADJ

### SPECIAL FEATURES

- Strong, durable brass construction
- Flow regulator/silencer
- Pressure relief by design
- Soft, positive closure
- Compact profile
- High critical level

Repair Parts P/N	Description
000-1437PB	Plunger Assy. with Ball
1520ARP	Repair Pack (above, plus *)
000-2863	Plunger Cup Washer*
000-0038	Sealing Ball
000-3017	Thumbscrews*
000-6023	Nylon Seat*
000-1510A	Lever Assy.

### BENEFITS

#### NO CALLBACKS

- Consistent performance at all pressures
- Whisper quiet
- Leak resistant & reliable
- Stops pipe banging
- Fits all tanks, old and new
- Easy installation
- A snap to repair
- Limited Lifetime Warranty

### BURLINGTON 20A Applications, Variations & Packing


Model P/N	Total Height	Select if height of:		Carton Qty.
		Overflow Tube (water level)	Critical Level (C -L)	
20A	10"	Under 8"	Under 9"	12 or 25
20A ADJ	9"-13"	7"-11"	8"-12"	12 or 25
20A XS*	8-3/4"	Under 7"	8" or Less	12 or 25
20A MT*	11"	Under 9"	Under 10"	12 or 25
20XT*	12"	Under 10"	Under 11"	10 or 25

**SIMPLY THE BEST**

**Standard Product**

**Special Order Product\***

Barry E. Walter Sr. Co. [www.cescobrass.com](http://www.cescobrass.com)  
 2550 East Platte Avenue  
 Fort Morgan, CO 80701



# CESCO BRASS

"The Power Behind The Throne"

A DIVISION OF: BARRY E. WALTER SR. CO.

## Scovill MODEL 16A ANTI

## - SIPHON BRASS BALLCOCKS

Standard Models 16A & 16A ADJ and Special Order Models 16A MT & XT

The **Scovill Model 16A** is our premium, top-of-the-line product family. All the benefits of the Burlington 20A, PLUS unique seat retainer, two U-cups on plungers, "whisper quiet", and compact profile (fits in tight corners). Also Adjustable height model (ADJ) now available for universal fit and/or with brass plunger assembly.

### SPECIAL FEATURES

- Heavy -duty brass construction
- Top -mounted regulator/silencer
- Soft, positive closure
- High critical level
- No -fail compound lever assembly
- Replacement parts fit prior models
- Brass seat retainer
- Anti-siphon performance



Model 16A  
(Standard)



16A ADJ  
(Adjustable Height Model)

Repair Parts	Description
000-8729PB	Plunger Assy. with Ball
16S200ARP	Repair Pack (above, plus*)
000-8730A	Plunger Cup Washer
000-0038	Sealing Ball
000-3017	Thumbscrews*
000-8725	Nylon Seat*
016-8792A	Lever Assy.



### Scovill 16A Applications, Variations & Packing

Model	Total Height	Select if height of:		Carton Qty.
		Overflow Tube (water line)	Critical Level (C -L)	
16A	10"	Under 8"	Under 9"	12 or 25
16A ADJ	9" - 13 "	7" - 11 "	8" - 12 "	12 or 25
16A MT *	11"	Under 9"	Under 10"	12 or 25
16A XT *	12"	Under 10"	Under 11"	10 or 25

**Standard Products**    **Special Order Products\***

Barry E. Walter Sr. Co. [www.cescobrass.com](http://www.cescobrass.com)  
2550 East Platte Avenue  
Fort Morgan, CO 80701

Tel 800-886-4361  
Fax 800-886-9831  
form cat2009-8



# CESCO BRASS

"The Power Behind The Throne"

A DIVISION OF: BARRY E. WALTER SR. CO.

## SCOVILL MODEL 47130VB for American Standard\*

The **Scovill Model 47130VB** is customized to be a perfect fit/direct replacement for the fill valves in certain **American Standard\* one-piece toilets**. The refill tube is positioned toward the unique overflow tube of these tanks. Packed with brass float rods to fit each American Standard\* toilet. Packed individually and available in cartons of 10. Installed height 9-1/4".

Replacement\* for American Standard\* Models 47130\*& 47131\* Ballcock in following Toilets (with Tank Numbers):

"Lexington"* (2006, 2007)*	"Ellisse"* (2008)*
-------------------------------	-----------------------

## Benefits and Features

- Thousands installed in past 5 years
- Durability improved in 2005 with added factory-installed brace for VB assembly
- Improved again in 2007 to use the same valve body as the Model 16A
- Proven performance, trouble-free
- No sheath, eliminates flooding
- Safety of "Air gap" anti -siphon
- One Model fits both toilets
- More economical & reliable than an OEM replacement ballcock

Repair Parts	Description
000-8729BA	Plunger Assy.
000-8730A	Plunger Cup Washer
000-3017	Thumbscrews
000-8725	Nylon Seat
016-8792A	Lever Assembly
000-8684D	Seat Washer Disc



Scovill Model 47130VB Ballcock

"Easy to Install, Easier to Live With"

\*REGISTERED TRADE NAME OR MARK OF THE ORIGINAL MANUFACTURER OF THIS PRODUCT WHICH THIS PART IS DESIGNED TO FIT. NOT OWNED, AFFILIATED, ASSOCIATED WITH, OR TO BE CONFUSED WITH CESCO BRASS, LTD.

Barry E. Walter Sr. Co. [www.cescobrass.com](http://www.cescobrass.com)  
2550 East Platte Avenue  
Fort Morgan, CO 80701

Tel 800-886-4361  
Fax 800-886-9831  
form cat2009-8



# CESCO BRASS

"The Power Behind The Throne"

A DIVISION OF: BARRY E.  SR. CO.

## Scovill Model 16AK Ballcock for Kohler\* Toilets

### New, Perfect Retrofit Brass Toilet Fill Valve Replacement

Replacement for Models 43130\* & 30673\* Ballcocks (part of 84499\* Repair Kit) in following Toilets (with Tank Numbers): "Rialto" (3402)\*, "Palarre" (3383)\*, "San Raphael" (3397)\*, "Rochelle" (3385)\*, "Pillow Talk" (3378)\*, "Cabernet" (3401, 3408)\*.

*The **Scovill 16AK** is a code-approved anti-siphon brass ballcock manufactured by CESCO BRASS, Ltd. for use as a retrofit valve for the above listed specific toilets. This ballcock is an excellent value. Available individually and in cartons of 10. Packed with rim feed connection tube and 5" oat rod.*

### Benefits and Features

- "Fit & Function" better than OEM
- Original equipment design Diverter Valve included -- secure-fit compression joint
- No-fail double-action compound levers
- No sheath, eliminates flooding risk
- Protection from water hammer and thermal expansion
- Code-approved, anti-siphon design
- Consistent long-term service
- **[NEW]** Adjustment for tank refill rate now controlled by positive quarter-turn valve
- Saves water
- Wear parts are easy to replace if needed
- Heavy brass construction with brass plunger
- Multi-channel water flow contributes to smooth, super-quiet performance
- Unbeatable pricing & performance



**Scovill Model 16AK**

16AKRP Repair Pack **includes a brass plunger assembly, sealing ball, nylon seat, & 2 thumbscrews**

\*REGISTERED TRADE NAME OR MARK OF THE ORIGINAL MANUFACTURER OF THIS PRODUCT WHICH THIS PART IS DESIGNED TO FIT. NOT OWNED, AFFILIATED, ASSOCIATED WITH, OR TO BE CONFUSED WITH CESCO BRASS,

**Barry E. Walter Sr. Co.** [www.cescobrass.com](http://www.cescobrass.com)  
2550 East Platte Avenue  
Fort Morgan, CO 80701

Page 6

Tel 800-886-4361  
Fax 800-886-9831  
form cat2009-8




# CESCO BRASS

"The Power Behind The Throne"


A DIVISION OF: BARRY E. WALTER SR. CO.

## QUALITY TOILET TANK TRIM & ACCESSORIES


### TOILET TANK TRIP LEVERS




**SCOVILL Model 93** - Tank Lever with Heavy Stamped Brass Arm - Attractive trip lever handle with decorative bright chrome plating. 9" stamped brass arm can be bent to avoid obstructions and stays in place. Full adjustment features and solid construction. Designed with multiple custom washers, die cast spud, brass nut and cotter pin that stay tight in service. Packed 25/ctn.




**SCOVILL Model 92** - Tank Lever with Cast Bronze Arm - Same as Model 93 except for 8" cast bronze arm with 1/4" o set at 5". Packed 25/ctn.



**BURLINGTON Model 100** - Chrome-plated tank lever in classic, contemporary design. Single action design with 8-1/2" brass arm, plastic spud and nut. Packed 25 or 100/ctn.



**Scovill Model 12 Back Supply Float Valve** - Heavy cast brass top feed ballcock with integral shutoff valve. For Wal-San and other wall-hung and in-the-wall toilet tanks. Also used as float valve for industrial and agricultural liquid level control. Boxed with 10" plastic refill tube assembly and 7" float rod. Height: 9 -3/4". Available in cartons or 12 or 25 or individually. Float ball sold separately.



**CESCO Model 45 Tank Float Ball** -High density (black) polyethylene with self threading connection to the Quality 4" x 5" tank float ball . Fits all 1/4"-20 float rods. Packed bulk, any quantity.



**3/8 X 3/8 Quarter Turn CP Brass Compression Stop** - Retro-Fit quarter turn straight valve, 3/8" compression x 3/8" compression. Assemble in-line on 3/8" copper supply tube below toilet, sink, or appliance. [P/N 038-0038.](#)

**Ballcock Shank-Mounted Quarter Turn Stop - CESCO "Add-A-Stop"** - Quarter- turn CP Brass valve includes a union joint for easy installation as an extension to toilet fill valve shank. Universal: 15/16" -14 inlet and outlet threads fit all flexible toilet supply lines. Fast & easy shut-off of water supply line and removal of fill valve when required. With two coupling nuts & fiber washers. [P/N 038-1516A](#)





# CESCO BRASS

"The Power Behind The Throne"

A DIVISION OF: BARRY E. WALTER SR. CO.



## REPAIR PARTS & HARDWARE

PART NUMBER	DESCRIPTION	FOR MODEL NUMBERS
<b>BURLINGTON</b>		
MPKB	MASTER PARTS KIT	ALL BURLINGTON
1520RP	REPAIR KIT	OLD STYLE 15 & 20R
1436ARP	REPAIR KIT	NEW STYLE 15 & 20R
000-1436PA	PLUNGER ASSY.	NEW STYLE 15 & 20R
1520ARP	REPAIR KIT	15A, 20A
000-1437PB	PLUNGER ASSY.	15A, 20A
000-1510A	LEVER ASSY.	15, 20R & 20A, ALL STYLES
000-6021	NYLON SEAT	OLD STYLE 15 & 20R
000-6023	NYLON SEAT	NEW STYLE 15,20R & 20A
000-2863	PLUNGER CUP WASHER	OLD STYLE 15 & 20R
000-8024A	PLUNGER CUP WASHER	NEW STYLE 15,20R & 20A
000-2868D	SEAT WASHER	ALL STYLES 15 & 20R
020-5108PA	REGULATOR ASSY.	ALL STYLE S20R & 20A
<b>Scovill</b>		
MPKS	MASTER PARTS KIT	ALL SCOVILL
16S200RP	REPAIR KIT	OLD STYLES 16 & S200
16200ARP	REPAIR KIT	16A & S200A STYLES
16AKRP	REPAIR KIT	16AK
000-8728KA [BRASS]	PLUNGER ASSY.	16AK
000-8729PB	PLUNGER ASSY.	16A & S200A STYLES
000-8729CA	PLUNGER ASSY.	16A & S200A STYLES
000-8729BA	PLUNGER ASSY.	NEW STYLE 16 & S200
000-8729XX [BRASS]	SUBSTIT. FOR STD. PLUNGER	16A & S200A STYLES
016-8792A	LEVER ASSY.	16, ALL STYLES
000-8725	NYLON SEAT	ALL SCOVILL
000-8730A	PLUNGER CUP WASHER	ALL SCOVILL
000-8684D	SEAT WASHER	16, S200 AND ALL VB STYLES
016-8600K	PLUNGER BORE	16AK
016-8600S	REGULATOR	16, ALL STYLES
12RP	REPAIR KIT	12 BACK SUPPLY
<b>BALLCOCK HARDWARE</b>		
050-2108	5" BRASS FLOAT ROD	
000-7006	6" BRASS FLOAT ROD	
000-7007	7" BRASS FLOAT ROD	
000-2123	8" BRASS FLOAT ROD	
000-2103	9" BRASS FLOAT ROD	
000-2113	10" BRASS FLOAT ROD	
000-2095C	10" VINYL REFILL TUBE ASSY.	
000-2812	CONE SHANK WASHER	
000-2829	COUPLING NUT WASHER	
000-3017	BRASS THUMBSCREW	
000-3730	S.S. CLIP	
000-7113	LOCKNUT	
000-7116	COUPLING NUT	
657-2829	DUCKBILL CHECK VALVE	ALL ANTI-SIPHON
000-0038	SEALING BALL	ALL ANTI-SIPHON, EXCEPT 16AK
000-0050	SEALING BALL	16AK
000-7099	LOCKNUT FOR FLOAT ROD	ALL FLOAT RODS

Barry E. Walter Sr. Co. [www.cescobrass.com](http://www.cescobrass.com)  
 2550 East Platte Avenue  
 Fort Morgan, CO 80701

Tel 800-886-4361  
 Fax 800-886-9831  
 form cat2009-8